


Patent claims

1. Compounds of the formula (I)



(I)

in which

V represents hydrogen, halogen, alkyl or alkoxy,



W represents hydrogen, cyano, nitro, halogen, alkyl, alkenyl, alkynyl, alkoxy, halogenoalkyl, halogenoalkoxy, in each case optionally substituted phenyl, phenoxy, phenylthio, phenylalkoxy or phenylalkylthio,

X represents halogen, alkyl, alkenyl, alkynyl, alkoxy, halogenoalkyl, halogenoalkoxy, cyano, nitro, in each case optionally substituted phenyl, phenoxy, phenylthio, phenylalkyloxy or phenylalkylthio,

Y represents hydrogen, halogen, alkyl, alkoxy, halogenoalkyl, halogenoalkoxy, cyano or nitro,

Z represents hydrogen, halogen, alkyl, alkoxy, halogenoalkyl, halogenoalkoxy, hydroxyl, cyano, nitro or in each case optionally substituted phenoxy, phenylthio, 5- or 6-membered hetaryloxy, 5- or 6-membered hetarylthio, phenylalkyloxy or phenylalkylthio,





Het represents one of the groups



in which


5

G represents hydrogen (a) or represents one of the groups



E (f),

or



in which

10

E represents hydrogen (a) or represents one of the groups

L represents oxygen or sulphur,

15

M represents oxygen or sulphur,

R¹ represents in each case optionally halogen- or cyano-substituted alkyl, alkenyl, alkoxyalkyl, alkylthioalkyl or polyalkoxyalkyl or represents in each case optionally halogen-, alkyl- or alkoxy-substituted cycloalkyl or heterocyclyl or represents in each case optionally substituted phenyl, phenylalkyl, hetaryl, phenoxyalkyl or hetaryloxyalkyl,


20

R^2 represents in each case optionally halogen- or cyano-substituted alkyl, alkenyl, alkoxyalkyl or polyalkoxyalkyl or represents in each case optionally substituted cycloalkyl, phenyl or benzyl,

5 R^3 , R^4 and R^5 independently of one another represent in each case optionally halogen-substituted alkyl, alkoxy, alkylamino, dialkylamino, alkylthio, alkenylthio or cycloalkylthio or represent in each case optionally substituted phenyl, benzyl, phenoxy or phenylthio,

10 R^6 and R^7 independently of one another represent hydrogen, represent in each case optionally halogen- or cyano-substituted alkyl, cycloalkyl, alkenyl, alkoxy, alkoxyalkyl, represent in each case optionally substituted phenyl or benzyl, or together with the N atom to which they are attached form an optionally substituted cycle which optionally contains oxygen or sulphur,

15 except for the compound I-a-79 from EP 528 156



20 2. Compounds of the formula (I) according to Claim 1, in which

V represents hydrogen, halogen, C_1 - C_6 -alkyl or C_1 - C_6 -alkoxy,

25 W represents hydrogen, nitro, cyano, halogen, C_1 - C_6 -alkyl, C_2 - C_6 -alkenyl or C_2 - C_6 -alkinyl, C_1 - C_6 -alkoxy, C_1 - C_4 -halogenoalkyl, C_1 - C_4 -halogenoalkoxy or in each case optionally halogen-, C_1 - C_6 -alkyl-,



C₁-C₆-alkoxy-, C₁-C₄-halogenoalkyl-, C₁-C₄-halogenoalkoxy-, nitro- or cyano-substituted phenyl, phenoxy, phenylthio, phenyl-C₁-C₄-alkoxy or phenyl-C₁-C₄-alkylthio,

\dot{X} represents halogen, C₁-C₆-alkyl, C₂-C₆-alkenyl, C₂-C₆-alkinyl, C₁-C₆-alkoxy, C₁-C₄-halogenoalkyl, C₁-C₄-halogenoalkoxy, cyano, nitro or in each case optionally halogen-, C₁-C₆-alkyl-, C₁-C₆-alkoxy-, C₁-C₄-halogenoalkyl-, C₁-C₄-halogenoalkoxy-, nitro- or cyano-substituted phenyl, phenoxy, phenylthio, phenyl-C₁-C₄-alkoxy or phenyl-C₁-C₄-alkylthio,



Y represents hydrogen, halogen, C₁-C₆-alkyl, C₁-C₆-alkoxy, C₁-C₄-halogenoalkyl, C₁-C₄-halogenoalkoxy, cyano or nitro,

Z represents hydrogen, halogen, C₁-C₆-alkyl, C₁-C₆-alkoxy, C₁-C₄-halogenoalkyl, C₁-C₄-halogenoalkoxy, hydroxyl, cyano, nitro or in each case optionally halogen-, C₁-C₄-alkyl-, C₁-C₄-alkoxy-, C₁-C₄-halogenoalkyl-, C₁-C₄-halogenoalkoxy-, nitro- or cyano-substituted phenoxy, phenylthio, thiazolyloxy, pyridinyloxy, pyrimidyloxy, pyrazolyloxy, phenyl-C₁-C₄-alkyloxy or phenyl-C₁-C₄-alkylthio,

Het represents one of the groups



G represents hydrogen (a) or represents one of the groups



in which

E represents a metal ion or an ammonium ion,

L represents oxygen or sulphur and

M represents oxygen or sulphur,

R¹ represents in each case optionally halogen- or cyano-substituted C₁-C₂₀-alkyl, C₂-C₂₀-alkenyl, C₁-C₈-alkoxy-C₁-C₈-alkyl, C₁-C₈-alkylthio-C₁-C₈-alkyl or poly-C₁-C₈-alkoxy-C₁-C₈-alkyl or represents optionally halogen-, C₁-C₆-alkyl- or C₁-C₆-alkoxy-substituted C₃-C₈-cycloalkyl in which optionally one or two not directly adjacent methylene groups are replaced by oxygen and/or sulphur,

represents optionally halogen-, cyano-, nitro-, C₁-C₆-alkyl-, C₁-C₆-alkoxy-, C₁-C₆-halogenoalkyl-, C₁-C₆-halogenoalkoxy-, C₁-C₆-alkylthio- or C₁-C₆-alkylsulphonyl-substituted phenyl,

represents optionally halogen-, nitro-, cyano-, C₁-C₆-alkyl-, C₁-C₆-alkoxy-, C₁-C₆-halogenoalkyl- or C₁-C₆-halogenoalkoxy-substituted phenyl-C₁-C₆-alkyl,

represents optionally halogen- or C₁-C₆-alkyl-substituted 5- or 6-membered hetaryl having one or two heteroatoms from the group consisting of oxygen, sulphur and nitrogen,

5 represents optionally halogen- or C₁-C₆-alkyl-substituted phenoxy-C₁-C₆-alkyl or

10 represents optionally halogen-, amino- or C₁-C₆-alkyl-substituted 5- or 6-membered hetaryloxy-C₁-C₆-alkyl having one or two heteroatoms from the group consisting of oxygen, sulphur and nitrogen,

15 R² represents in each case optionally halogen- or cyano-substituted C₁-C₂₀-alkyl, C₂-C₂₀-alkenyl, C₁-C₈-alkoxy-C₂-C₈-alkyl or poly-C₁-C₈-alkoxy-C₂-C₈-alkyl,

20 represents optionally halogen-, C₁-C₆-alkyl- or C₁-C₆-alkoxy-substituted C₃-C₈-cycloalkyl or

25 represents in each case optionally halogen-, cyano-, nitro-, C₁-C₆-alkyl-, C₁-C₆-alkoxy-, C₁-C₆-halogenoalkyl- or C₁-C₆-halogenoalkoxy-substituted phenyl or benzyl,


30 R³ represents optionally halogen-substituted C₁-C₈-alkyl or in each case optionally halogen-, C₁-C₆-alkyl-, C₁-C₆-alkoxy-, C₁-C₄-halogenoalkyl-, C₁-C₄-halogenoalkoxy-, cyano- or nitro-substituted phenyl or benzyl,

R⁴ and R⁵ independently of one another represent in each case optionally halogen-substituted C₁-C₈-alkyl, C₁-C₈-alkoxy, C₁-C₈-alkylamino, di(C₁-C₈-alkyl)amino, C₁-C₈-alkylthio or C₃-C₈-alkenylthio or

represent in each case optionally halogen-, nitro-, cyano-, C₁-C₄-alkoxy-, C₁-C₄-halogenoalkoxy-, C₁-C₄-alkylthio-, C₁-C₄-halogenoalkylthio-, C₁-C₄-alkyl- or C₁-C₄-halogenoalkyl-substituted phenyl, phenoxy or phenylthio,

R⁶ and R⁷ independently of one another represent hydrogen, represent in each case optionally halogen- or cyano-substituted C₁-C₈-alkyl, C₃-C₈-cycloalkyl, C₁-C₈-alkoxy, C₃-C₈-alkenyl or C₁-C₈-alkoxy-C₂-C₈-alkyl, represent in each case optionally halogen-, C₁-C₈-alkyl-, C₁-C₈-halogenoalkyl- or C₁-C₈-alkoxy-substituted phenyl or benzyl or together represent an optionally C₁-C₆-alkyl-substituted C₃-C₆-alkylene radical in which optionally one methylene group is replaced by oxygen or sulphur,

except for the compound I-a-75 from EP 528 156



3. Compounds of the formula (I) according to Claim 1, in which

V represents hydrogen, fluorine, chlorine, bromine, C₁-C₄-alkyl or C₁-C₄-alkoxy,


W represents hydrogen, fluorine, chlorine, bromine, C₁-C₄-alkyl, C₁-C₄-alkoxy, C₁-C₂-halogenoalkyl or C₁-C₂-halogenoalkoxy,

X represents fluorine, chlorine, bromine, C₁-C₄-alkyl, C₁-C₄-alkoxy, C₁-C₂-halogenoalkyl, C₁-C₂-halogenoalkoxy, cyano or nitro,



Y represents hydrogen, fluorine, chlorine, bromine, C₁-C₄-alkyl, C₁-C₄-alkoxy, C₁-C₂-halogenoalkyl, C₁-C₂-halogenoalkoxy, cyano or nitro,

Z represents hydrogen, fluorine, chlorine, bromine, C₁-C₄-alkyl, C₁-C₄-alkoxy, C₁-C₂-halogenoalkyl, C₁-C₂-halogenoalkoxy, hydroxyl, cyano, nitro or in each case optionally fluorine-, chlorine-, bromine-, C₁-C₄-alkyl-, C₁-C₄-alkoxy-, C₁-C₂-halogenoalkyl-, C₁-C₂-halogenoalkoxy-, nitro- or cyano-substituted phenoxy or benzyloxy,

Het represents one of the groups



G represents hydrogen (a) or represents one of the groups



in which

E represents a metal ion or an ammonium ion,

L represents oxygen or sulphur and

M represents oxygen or sulphur,

5 R¹ represents in each case optionally fluorine- or chlorine-substituted C₁-C₁₆-alkyl, C₂-C₁₆-alkenyl, C₁-C₆-alkoxy-C₁-C₆-alkyl, C₁-C₆-alkylthio-C₁-C₆-alkyl or poly-C₁-C₆-alkoxy-C₁-C₆-alkyl or represents optionally fluorine-, chlorine-, C₁-C₅-alkyl- or C₁-C₅-alkoxy-substituted C₃-C₇-cycloalkyl in which optionally one or two not directly adjacent methylene groups are replaced by oxygen and/or sulphur,

10 represents optionally fluorine-, chlorine-, bromine-, cyano-, nitro-, C₁-C₄-alkyl-, C₁-C₄-alkoxy-, C₁-C₃-halogenoalkyl-, C₁-C₃-halogenoalkoxy-, C₁-C₄-alkylthio- or C₁-C₄-alkylsulphonyl-substituted phenyl,

15 represents optionally fluorine-, chlorine-, bromine-, C₁-C₄-alkyl-, C₁-C₄-alkoxy-, C₁-C₃-halogenoalkyl- or C₁-C₃-halogenoalkoxy-substituted phenyl-C₁-C₄-alkyl,

20 represents in each case optionally fluorine-, chlorine-, bromine- or C₁-C₄-alkyl-substituted pyrazolyl, thiazolyl, pyridyl, pyrimidyl, furanyl or thienyl,

25 represents optionally fluorine-, chlorine-, bromine- or C₁-C₄-alkyl-substituted phenoxy-C₁-C₅-alkyl or

30 represents in each case optionally fluorine-, chlorine-, bromine-, amino- or C₁-C₄-alkyl-substituted pyridyloxy-C₁-C₅-alkyl, pyrimidyloxy-C₁-C₅-alkyl or thiazolyloxy-C₁-C₅-alkyl,

R² represents in each case optionally fluorine- or chlorine-substituted C₁-C₁₆-alkyl, C₂-C₁₆-alkenyl, C₁-C₆-alkoxy-C₂-C₆-alkyl or poly-C₁-C₆-alkoxy-C₂-C₆-alkyl,

represents optionally fluorine-, chlorine-, C₁-C₄-alkyl- or C₁-C₄-alkoxy-substituted C₃-C₇-cycloalkyl or


represents in each case optionally fluorine-, chlorine-, bromine-, cyano-, nitro-, C₁-C₄-alkyl-, C₁-C₃-alkoxy-, C₁-C₃-halogenoalkyl- or C₁-C₃-halogenoalkoxy-substituted phenyl or benzyl,

R³ represents optionally fluorine- or chlorine-substituted C₁-C₆-alkyl or in each case optionally fluorine-, chlorine-, bromine-, C₁-C₄-alkyl-, C₁-C₄-alkoxy-, C₁-C₂-halogenoalkoxy-, C₁-C₂-halogenoalkyl-, cyano- or nitro-substituted phenyl or benzyl,

R⁴ and R⁵ independently of one another represent in each case optionally fluorine- or chlorine-substituted C₁-C₆-alkyl, C₁-C₆-alkoxy, C₁-C₆-alkylamino, di(C₁-C₆-alkyl)amino, C₁-C₆-alkylthio or C₃-C₄-alkenylthio or represent in each case optionally fluorine-, chlorine-, bromine-, nitro-, cyano-, C₁-C₃-alkoxy-, C₁-C₃-halogenoalkoxy-, C₁-C₃-alkylthio-, C₁-C₃-halogenoalkylthio-, C₁-C₃-alkyl- or C₁-C₃-halogenoalkyl-substituted phenyl, phenoxy or phenylthio,

R⁶ and R⁷ independently of one another represent hydrogen, represent in each case optionally fluorine- or chlorine-substituted C₁-C₆-alkyl, C₃-C₆-cycloalkyl, C₁-C₆-alkoxy, C₃-C₆-alkenyl or C₁-C₆-alkoxy-C₂-C₆-alkyl, represent in each case optionally fluorine-, chlorine-, bromine-, C₁-C₅-halogenoalkyl-, C₁-C₅-alkyl- or C₁-C₅-alkoxy-substituted phenyl or benzyl, or together represent an optionally C₁-C₄-alkyl-substituted C₃-C₆-alkylene radical in which optionally one methylene group is replaced by oxygen or sulphur,

except for the compound I-a-75 from EP 528 156



5

4. Compounds of the formula (I) according to Claim 1, in which

V represents hydrogen, fluorine, chlorine, bromine, methyl, ethyl, methoxy or ethoxy,

10

W represents hydrogen, fluorine, chlorine, bromine, methyl, ethyl, propyl, methoxy or ethoxy,

X represents fluorine, chlorine, bromine, methyl, ethyl, propyl, isopropyl, methoxy, ethoxy, propoxy, isopropoxy, trifluoromethyl, trifluoromethoxy, difluoromethoxy or cyano,

15


Y represents hydrogen, fluorine, chlorine, bromine, methyl, ethyl, propyl, isopropyl, tert-butyl, methoxy, ethoxy, propoxy, isopropoxy, trifluoromethyl, trifluoromethoxy, difluoromethoxy, cyano or nitro,

20


Z represents hydrogen, fluorine, chlorine, bromine, methyl, ethyl, propyl, isopropyl, tert-butyl, methoxy, ethoxy, propoxy, isopropoxy, trifluoromethyl, trifluoromethoxy, difluoromethoxy, cyano or nitro,

25

Het represents one of the groups



G represents hydrogen (a) or represents one of the groups



in which

E represents a metal ion or an ammonium ion,

L represents oxygen or sulphur and

M represents oxygen or sulphur,

R¹ represents in each case optionally fluorine- or chlorine-substituted C₁-C₁₄-alkyl, C₂-C₁₄-alkenyl, C₁-C₄-alkoxy-C₁-C₆-alkyl, C₁-C₄-alkylthio-C₁-C₆-alkyl, poly-C₁-C₄-alkoxy-C₁-C₄-alkyl or represents optionally fluorine-, chlorine-, methyl-, ethyl-, n-propyl-, isopropyl-, n-butyl-, isobutyl-, tert-butyl-, methoxy-, ethoxy-, n-propoxy- or isopropoxy-substituted C₃-C₆-cycloalkyl in which optionally one or two not directly adjacent methylene groups are replaced by oxygen and/or sulphur,

represents optionally fluorine-, chlorine-, bromine-, cyano-, nitro-, methyl-, ethyl-, n-propyl-, isopropyl-, methoxy-, ethoxy-,

trifluoromethyl-, trifluoromethoxy-, methylthio-, ethylthio-,
methylsulphonyl- or ethylsulphonyl-substituted phenyl,

5 represents optionally fluorine-, chlorine-, bromine-, methyl-, ethyl-, n-
propyl-, isopropyl-, methoxy-, ethoxy-, trifluoromethyl- or
trifluoromethoxy-substituted benzyl,

10 represents in each case optionally fluorine-, chlorine-, bromine-,
methyl- or ethyl-substituted furanyl, thienyl or pyridyl,

represents optionally fluorine-, chlorine-, methyl- or ethyl-substituted
phenoxy-C₁-C₄-alkyl or

15 represents in each case optionally fluorine-, chlorine-, amino-, methyl-
or ethyl-substituted pyridyloxy-C₁-C₄-alkyl, pyrimidyloxy-C₁-C₄-
alkyl or thiazolyloxy-C₁-C₄-alkyl,

R² 20 represents in each case optionally fluorine- or chlorine-substituted C₁-
C₁₄-alkyl, C₂-C₁₄-alkenyl, C₁-C₄-alkoxy-C₂-C₆-alkyl or poly-C₁-
C₄-alkoxy-C₂-C₆-alkyl,

represents optionally fluorine-, chlorine-, methyl-, ethyl-, n-propyl-,
isopropyl- or methoxy-substituted C₃-C₆-cycloalkyl,

25 or represents in each case optionally fluorine-, chlorine-, cyano-,
nitro-, methyl-, ethyl-, n-propyl-, isopropyl-, methoxy-, ethoxy-,
trifluoromethyl- or trifluoromethoxy-substituted phenyl or benzyl,


R³ 30 represents in each case optionally fluorine- or chlorine-substituted
methyl, ethyl, propyl, isopropyl, butyl, tert-butyl, or in each case
optionally fluorine-, chlorine-, bromine-, methyl-, ethyl-, isopropyl-,

tert-butyl-, methoxy-, ethoxy-, isopropoxy-, trifluoromethyl-, trifluoromethoxy-, cyano- or nitro-substituted phenyl or benzyl,

R⁴ and R⁵ independently of one another represent in each case optionally fluorine- or chlorine-substituted C₁-C₄-alkyl, C₁-C₄-alkoxy, C₁-C₄-alkylamino, di(C₁-C₄-alkyl)amino or C₁-C₄-alkylthio or represent in each case optionally fluorine-, chlorine-, bromine-, nitro-, cyano-, methyl-, methoxy-, trifluoromethyl- or trifluoromethoxy-substituted phenyl, phenoxy or phenylthio,


R⁶ and R⁷ independently of one another represent hydrogen, represent in each case optionally fluorine- or chlorine-substituted C₁-C₄-alkyl, C₃-C₆-cycloalkyl, C₁-C₄-alkoxy, C₃-C₄-alkenyl or C₁-C₄-alkoxy-C₂-C₄-alkyl, represent in each case optionally fluorine-, chlorine-, bromine-, methyl-, methoxy- or trifluoromethyl-substituted phenyl or benzyl, or together represent an optionally methyl- or ethyl-substituted C₅-C₆-alkylene radical in which optionally one methylene group is replaced by oxygen or sulphur,

except for the compound I-a-75 from EP 528 156



5. Process for preparing compounds of the formula (I) according to Claim 1, characterized in that, to obtain

(A) compounds of the formula (I-1-a)




(I-1-a)

in which

V, W, X, Y and Z have the meanings given above,

compounds of the formula (II)



(II)

in which


V, W, X, Y and Z have the meanings given above,

and

R^8 represents alkyl

are condensed intramolecularly in the presence of a diluent and in the presence of a base,

(B) compounds of the formula (I-2-a)




(I-2-a)

in which

V, W, X, Y and Z have the meanings given above,

compounds of the formula (III)




(III)

in which

V, W, X, Y, Z and R⁸ have the meanings given above

are condensed intramolecularly in the presence of a diluent and in the presence of a base and the resulting compounds of the formula (I-1-a) and (I-2-a) are, if appropriate, subsequently

(C) α) reacted with compounds of the formula (IV)



(IV)

in which

R^1 has the meaning given above and

Hal represents halogen

5

or

B) reacted with compounds of the formula (V)



10

in which

R^1 has the meaning given above,

15

if appropriate in the presence of a diluent and if appropriate in the presence of an acid binder;

(D) reacted with compounds of the formula (VI)

20



in which


R^2 and M have the meanings given above,

25

if appropriate in the presence of a diluent and if appropriate in the presence of an acid binder;

(E) reacted with compounds of the formula (VII)

30



(VII)

in which

M and R² have the meanings given above,

5

if appropriate in the presence of a diluent and if appropriate in the presence of an acid binder,

(F) reacted with compounds of the formula (VIII)

10



(VIII)

in which


15

R³ has the meaning given above,

if appropriate in the presence of a diluent and if appropriate in the presence of an acid binder,

20

(G) reacted with compounds of the formula (IX)



(IX)

25

in which



L, R⁴ and R⁵ have the meanings given above and

Hal represents halogen,

if appropriate in the presence of a diluent and if appropriate in the presence of an acid binder,

5

(H) reacted with compounds of the formula (X) or (XI)



10

in which

Me represents a mono- or divalent metal,

t represents the number 1 or 2 and

15

R^{10} , R^{11} , R^{12} independently of one another represent hydrogen or alkyl,

if appropriate in the presence of a diluent,

20

(I) α reacted with compounds of the formula (XII)



25


in which

R^6 and L have the meanings given above,

30

if appropriate in the presence of a diluent and if appropriate in the presence of a catalyst or

B) reacted with compounds of the formula (XIII)




in which

L, R⁶ and R⁷ have the meanings given above,

if appropriate in the presence of a diluent and if appropriate in the presence of an acid binder.

6. Compounds of the formula (II)




in which

V, W, X, Y and Z have the meanings given above and

R⁸ represents alkyl.

7. Compounds of the formula (III)




(III)

in which

V, W, X, Y, Z and R^8 have the meanings given above,


5

except for the compound below



10

8. Compounds of the formula (XVI)




(XVI)

in which

V, W, X, Y and Z have the meanings given above.

15

9. Compounds of the formula (XIX)




in which

5


V, W, X, Y and Z have the meanings given above.

10. Compound of the formula (XVIII)



10

11. Compounds of the formula (XIV)



15

in which

R^8 has the meanings given above.

20

12. Pesticide and/or weed killer, characterized in that it comprises at least one compound of the formula (I) according to Claim 1.

13. Use of compounds of the formula (I) according to Claim 1 for controlling pests and weeds.

5 14. Method for controlling pests and weeds, characterized in that compounds of the formula (I) according to Claim 1 are allowed to act on the pests, plants and/or their habitat.

10 15. Process for preparing pesticides and/or weed killers, characterized in that compounds of the formula (I) according to Claim 1 are mixed with extenders and/or surfactants.

16. Use of compounds of the formula (I) according to Claim 1 for preparing pesticides and herbicides.

Add
a5